



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

der the short Ribs of the left side. Of this Wound she then received, she has still a Fistula to this day, what Food she eats dischargeth it self half concocted through this opening, and she is obliged to clean this Wound often for that purpose, however she has notwithstanding this, her daily Evacuation *per Anum*: It is remarkable, that the Victuals thus discharged, by the Wound aforesaid, are still distinctly known what kind they have been of.

All this is attested by *Oizmann* mentioned above.
In fidem Subscript,

J. Niemeyer.

VI. *An Account of an Experiment made on Thursday the last Day of June, 1720. before the R. Society, to shew by a new proof, that Bodies of the same Bulk do not contain equal quantities of Matter, and therefore that there is an interspers'd Vacuum.* By J. T. Desaguliers,

I Took 3 Pound of *Mercury*, which by measure fill'd three times a small glass Jar exactly full, and pour'd it into a thin Florence Flask: then having pour'd the same quantity of Water (that is, three of the same Jars full) into another such Flask, I set both the Flasks in a Pail, and pour'd boiling Water about them, keeping the Flask that had the Water down by force, that it might be as low in the hot Water as the *Mercury*. After the Fluids in the Flasks had receiv'd a sufficient degree of heat from the Water, which was round the Flasks, for the space of five Minutes, I took

the Flasks out of the hot Water, and putting that which held the Water into a Cylandrick Vessel that had three Pints of cold Water in it, I did at the same time plunge the Flask with *Mercury* into another Cylandrick Vessel containing also three Pints of cold Water, and observ'd which of the cold Waters was most heated in the following manner.

A little Thermometer being held in the first Vessel of cold Water so as to have its Ball cover'd with the Water, upon the putting in the Flask of warm Water, the Spirit rose 2 degrees; then putting the Thermometer into the Water where the Flask that had the *Mercury* was, the Spirit rose three degrees higher. The Thermometer being again put into the first Vessel fell 4 degrees, and afterwards again into the last it rose almost 3 degrees.

This shews that more heat is communicated by warm *Mercury*, than by an equal Bulk of Water equally warm'd; and therefore that there is more matter in the *Mercury*; but how much more matter there is in the *Mercury* is not determin'd by this Experiment alone.

N. B. The warm *Mercury* and the warm Water were not pour'd into the cold; but only communicated their heat thro' the Flasks.